

A tall stack of black Line Array speakers is the central focus, set against a dark red background with stage lighting. The speakers are arranged in a vertical column, with their perforated grilles and side panels visible. The background features red light beams and structural elements of a stage rig.

YOUR **LINE ARRAY** JUST ARRIVED!

**LA**

S E R I E S

**SIMPLY INNOVATIVE SOUND**


# LA-80

## Passive Coaxial Line Array Speaker 8"


ORDER CODE: 4701607

- Power: 60W AES (HF) / 250W AES (LF) • Frequency Response: 100Hz - 18kHz (-3dB), 80Hz - 20kHz (-10dB) • Sensitivity: 106dB (HF) / 96dB (LF) • Max SPL (peak): 128dB (HF) / 122dB (LF)
- Impedance: 16 Ohm • Transducers: HF driver 1.75", LF driver 8"
- Dispersion (HxV): 100° x 10°, DF version 100° x 40° • Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood, polyurethane paint • Grill: Epoxy-coated metal • Mounting: Standard pole socket, suspension system with 0-10° tilt • Available in black
- Dimensions (HxWxD): 215.7 x 264 x 144 mm • Weight: 6.6 kg

\* Optional 40° (V) x 100° (H) horn for nearfield use.



Front view



Side view



Top view




# LA-100

## Passive Coaxial Line Array Speaker 10"


ORDER CODE: 4701089

- Power: 80W AES (HF) / 400W AES (LF) • Frequency Response: 80Hz - 18kHz (-3dB), 60Hz - 20kHz (-10dB) • Sensitivity: 112dB (HF) / 96dB (LF) • Max SPL (peak): 137dB (HF) / 127dB (LF) • Impedance: 16 Ohm
- Transducers: HF driver 3", LF driver 10" • Dispersion (HxV): 100° x 10° • Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood, polyurethane paint • Grill: Epoxy-coated metal • Mounting: Standard pole socket, suspension system with 0-10° tilt • Available in black
- Dimensions (HxWxD): 332 x 360 x 260 mm • Weight: 13 kg


\* Optional 40° (V) x 100° (H) horn for nearfield use.




Dispersion 10° (V) x 100° (H)



Dispersion 40° (V) x 100° (H)



Side view



Top view







## LA-200

### Passive Line Array Speaker 2 x 10"

ORDER CODE: 4702758

- Power: 120W AES (HF) / 800W AES (LF) • Frequency Response: 50Hz - 16kHz ( $\pm 3$  dB), 40Hz - 18kHz (-10dB)
- Sensitivity: 112dB (HF) / 96dB (LF) • Max SPL (peak): 138dB (HF) / 131dB (LF) • Impedance: 16 Ohm • Transducers: 2 x 10" LF drivers, 3" HF compression driver • Dispersion (HxV): 100° x 10° • Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood, polyurethane paint • Grill: Epoxy-coated metal
- Mounting: Suspension system with 0-10° tilt • Available in black • Dimensions (HxWxD): 303.4 x 730 x 464.5 mm
- Weight: 35 kg






## LA-180S MK2

### Passive Subwoofer Speaker 18"

ORDER CODE: 4702749

- Power: 750W AES • Frequency Response: 40Hz - 250Hz ( $\pm 3$ dB)
- Sensitivity: 99dB/W/m • Max SPL (peak): 135dB • Impedance: 8 Ohm
- Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood with built-in rigging hardware, polyurethane paint • Grill: Epoxy-coated
- Mounting: Standard pole socket, suspension system with 0-10° tilt
- Available in black • Dimensions (HxWxD): 530 x 730 x 600 mm
- Weight: 45 kg




# LA-180FL


## Passive Subwoofer Speaker 18"

ORDER CODE: 4702757


- Power: 750W AES • Frequency Response: 40Hz - 250Hz ( $\pm 3$ dB)
- Sensitivity: 99dB/W/m • Max SPL (peak): 135dB • Impedance: 8 Ohm
- Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood with built-in rigging hardware, polyurethane paint • Grill: Epoxy-coated
- Mounting: Standard pole socket, suspension system with 0-10° tilt
- Available in black • Dimensions (HxWxD): 530 x 730 x 600 mm
- Weight: 45 kg




Front view



Top view



Side view



Rear view




# LA-300S


## Passive Subwoofer Speaker 2 x 15"

ORDER CODE: 4702409


- Power: 1000W AES • Frequency Response: 50Hz - 150Hz ( $\pm 3$ dB), 35Hz - 200Hz (-10dB) • Sensitivity: 98dB/W/m • Max SPL (peak): 134dB
- Impedance: 8 Ohm • Connectors: Speakon (NL4) x2 • Enclosure: Baltic birch wood, polyurethane paint • Grill: Epoxy-coated
- Mounting: Standard pole socket, suspension system with 0-10° tilt
- Available in black • Dimensions (HxWxD): 773 x 440 x 780 mm
- Weight: 55 kg



Front view



Top view




Side view

# LA-360


## Passive Subwoofer Speaker 2 x 18"

ORDER CODE: 4701094


- Power: 1000W AES • Frequency Response: 35Hz - 150Hz
- Sensitivity: 101dB/W/m • Max SPL (peak): 141dB
- Impedance: 8 Ohm • Connectors: Speakon (NL4) x2 • Woofer by Lavoce
- Enclosure: Baltic birch wood, polyurethane paint • Grill: Epoxy-coated
- Mounting: Standard pole socket, suspension system with 0-10° tilt
- Available in black • Dimensions (HxWxD): 580 x 1250 x 680 mm
- Weight: 95 kg



Front view



Top view



Side view



# PM4000MD

## Module

ORDER CODE: 4701606

The PM4000MD power module transforms passive subwoofers into active with outputs for the speakers.

- Class D power module with 2 x 2000W at 4Ω and up to 2 x 1200W at 8Ω
- Frequency response at 20Hz - 20kHz • DSP pre-amp • 31-band parametric EQ • Protection functions • Suitable for LA-300s (SKU: 4702409), LA-180S MK2 (SKU: 4702749) and LA-360 (SKU: 4701094)

### AVAILABLE ACCESSORIES FOR LA SERIES



FLIGHT CASE



BUMPER



WHEELS



COVER